DOMESTIC USES AND SAFETY PART II

	4	1
()	7	
w		


(a) Use numbers given in the box to complete the following sentences.

	12	50	110	230	
In the	UK, the ma	ains electricit	y supply is		
olts.					

The frequency of the UK mains electricity supply is ______hertz.

(b) The diagram shows a hairdryer designed to be used with the UK mains supply.

The cable connecting the hairdryer to the plug does not have an earth wire.



(i) Why does the hairdryer **not** need a cable with an earth wire?

(ii) Which **one** of the following materials are the two wires inside the cable made from?

Draw a ring around your answer.

aluminium copper steel

(Total 4 marks)

(1)

(1)

(2)

Q2.

(a) Describe the difference between an alternating current (a.c.) and a direct current

	e diagram show amer.	s the informat	ion plate on th	e bottom of an electri	ic wallpaper
2	230∨ a.c.	50Hz 2	.3 kVV		
(i)	Calculate the	e current used	by the steame	er.	
	Show clearly	how you work	out your ansv	wer.	
				Current	
(ii)	Which one of steamer?	of the following	fuses should	be used inside the plu	ug of the
	Draw a ring a	around your ar	nswer.		

Q3.

The diagram shows someone accidentally touching the live wire inside a dismantled 230 volt mains electricity socket.

A current flows through the person giving him an electric shock.




(a) (i)	Calculate the current that will flow through the person.		
		Show clearly how you work out your answer.	
		Current = A	(2
(ii)	(ii)	Rubber is a good insulator.	
		Explain why it is a good idea for electricians to wear rubber soled boots when working.	
			(0)
			(2)

(b) If the current flowing through a person is too high, the person cannot let go of the electrical source.

Different people were tested to see whether the ability to let go of an electrical source depended on the frequency of the current.

The results of the test are shown in the graph.



(i) What is the frequency of the mains electricity supply in the UK?


(ii) From a safety point of view, is the frequency of the UK mains electricity supply suitable?

Give a reason for your answer.

-

(1)

(c) The diagram shows how the electric supply cable is connected to an electric kettle. The earth wire is connected to the metal case of the kettle.



If a fault makes the metal case live, the earth wire and the fuse inside the plug protect anyone using the kettle from an electric shock.

Explain how.

(2) (Total 8 marks)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
(2)
\ L)
(Total 8 marks)

Q4.

(a) Each letter **A**, **B**, **C**, **D** and **E** represents an energy transformation.

A electrical to gravitational potential

B electrical to heat


C electrical to kinetic

D electrical to light

E electrical to sound


Match each of the following devices to the useful energy transformation that it is designed to make.

Write the correct letter, **A**, **B**, **C**, **D** or **E**, in the box below the device. Use each letter once or not at all.



(b) The bar chart shows the power of three electric kettles.

(3)



(i) What is the power of kettle **Y**?

(1)

(ii) In one week each kettle is used for a total of 30 minutes.

Which kettle costs the most to use?

(1)

(iii) A new 'express boil' kettle boils water faster than any other kettle.

Draw a fourth bar on the chart to show the possible power of an 'express boil' kettle.

(1)

(c) Some friends are going on holiday. They want to be able to boil water to make their own hot drinks. They cannot decide which to take, a travel kettle or a small portable immersion heater that can be placed in a mug.





Travel Kettle

- 1 k W element
- Holds 1 litre

Immersion heater

- 0.4 k W element
- Heates up to 0.5 litres of water


- Works on 110V or 230V
- · Washable water filter

- Works on 230 V only
- Small compact size

ive one advantage of taking the immersion heater.

Q5.

(a) Look at this electrical safety information poster.





(i) Complete the table to show which size fuse, 3 A or 13 A, should be fitted to each of the appliances.


Appliance	Power rating	Fuse
Hairdryer	1600 W	
Electric saw	350 W	
Food mixer	1200 W	


	(ii)	The plug of an electric kettle has been wrongly fitted with a 3 A fuse. What will happen to the fuse when the kettle is switched on?
b)		drawing shows a toaster, which takes a current of 4 A from the 230 V mains tricity supply. Metal case
	(i)	Use the equation in the box to calculate the power of the toaster.
		Power current x potential difference (watt, W) = (ampere, A) x (volt, V) Show clearly how you work out your answer.
		Power = W
	(ii)	A householder rewires the toaster with a new cable and plug. The diagram shows how the new cable has been connected to the plug. Earth pin Neutral wire
		Explain why the toaster may not be safe to use.

(c) The diagram shows the oscilloscope traces produced by four different electricity supplies. The settings on the oscilloscope are the same for each electricity supply.









(i) Which **two** supplies give a direct current (d.c.)?

 _and _	
	(1)

(ii) Supply **K** provides a peak potential difference of 6 V.


What is the peak potential difference provided by supply M?

(Total 9 marks)

(1)

Q6.

(a) The diagram shows the inside of a correctly wired three-pin plug.



(i) What colour is the insulation on the wire labelled \mathbf{X} ?

Draw a ring around your answer.

blue brown green/yellow

(1)

(ii) What name is given to the wire labelled \mathbf{Y} ?

Draw a ring around your answer.

earth live neutral

(1)

(iii) What material would be suitable for the case of the plug?


(iv) Which **one** of the following is the correct circuit symbol for a fuse?

Draw a ring around your answer.



(1)

(b) A householder does not have enough electric sockets in the kitchen. To overcome the problem, the householder uses two adaptors to plug five appliances into a single electric socket.




explain why this is dangerous.		
	77.110	

(Total 6 marks)

Q7.

The diagram shows two oscilloscope traces, **A** and **B**.




Trace **A** shows how the potential difference between the live and neutral terminals of an electricity supply changes with time.

(a) Describe how the potential of the live terminal varies with respect to the neutral terminal of the electricity supply.

Wh	at does trace B show?
Eac	h horizontal division on the oscilloscope represents 0.005 s.
i)	What is the period of this electricity supply?
	Period = seconds

Q8.


The diagram shows the inside of a mains plug.



(a) Complete the table.

Wire	Colour of insulation
Earth	
Live	
Neutral	

(b) The diagram shows a washing machine without an earth connection. The live wire has become loose and is touching the metal case of the washing machine.



(c) Some electrical appliances use a cable which does not have an earth wire. Which one of the following appliances can safely use this type of cable?

hairdrier iron refrigerator


Give a reason for your answer.

(2)

Q9.


(c)

The information plate on a hairdrier is shown.



(i)	Write down the equation which links current, power and voltage.
(1)	
(ii)	Calculate the current in amperes, when the hairdrier is being used. Show clearly how you work out your answer.
	Current = amperes
(iii)	Which one of the following fuses, 3A, 5A or 13A, should you use with this hairdrier?

The hairdrier transfers electrical energy to heat energy and kinetic energy.



Efficiency =


Calculate the efficiency of the hairdrier in transferring electrical energy into heat

(2) (Total 7 marks)

Q10.

energy.

(a) The diagram shows a 13 amp plug.




(i)	What is wrong with the way this plug has been wired?

(11)	wny do plugs nave a fuse?

(1)

(b) The diagram shows an immersion heater which can be used to boil water in a mug.




Which part of the immersion heater should be connected to the earth pin of the plug?

(1)

(Total 3 marks)


Q11.

(a) The diagram shows an electric fence, designed to keep horses in a field.



When a horse touches the wire the horse receives a mild electric shock. Explain how.

(b) The diagram shows how a person could receive an electric shock from a faulty electrical appliance. Using a residual circuit breaker (RCB) can help to protect the person against receiving a serious shock.




Current to earth

(i) Compare the action of an RCB to that of a fuse.

(2)

(ii) The graph illustrates how the severity of an electric shock depends upon both the size of the current and the time for which the current flows through the body.



Within how long must the RCB cut off the current if the person using the lawnmower is to be in no danger of serious injury?


Time =	milliseconds

(2)

(Total 6 marks)

Q12.

(a) An adaptor can be used to connect up to four appliances in parallel to one 230 V mains socket. The adaptor is fitted with a 13 A fuse. The table gives a list of appliances and the current they draw from a mains socket.



Appliance	Current
computer	1 A
hairdryer	4 A
heater	8 A
iron	6 A
television	2 A


	Current =
۷	Vrite down the equation which links current, electrical power and voltage.
h	Calculate the electrical power used when the television, computer and airdryer are plugged into the adaptor. Show clearly how you work out your nswer and give the unit.

	Electrical power =
(iv)	What would happen to the fuse if the heater is also plugged into the adaptor?
	Give a reason for your answer.
The	diagram shows two of the appliances.
	Iron Hairdryer
(i)	For safety reasons, it is important that the iron has an earth wire connected to its outer metal case. Explain why.
(ii)	The hairdryer does not have an earth wire. It is safe to use because it is double <i>insulated</i> . Explain what the term <i>double insulated</i> means.

(Total 10 marks)

Q13.


The diagram below shows an electric mains plug.



4		
B		
Nan	me the colour of each of the wires X , Y and Z .	
x		
Y		
	me a suitable material for the case of the plug.	
Nam	ne a suitable material for the case of the plug.	
Nam	ne a suitable material for the case of the plug. ctric fires have three wires connected in the plug. One is the live wire to fee	

The diagram below shows a badly wired mains plug.

(e)



Look at the plug carefully. What **four** changes should be made to make the plug safe?


1		
4		

(4)

(Total 12 marks)

Q14.

The circuit diagram below shows a circuit used to supply electrical energy to the two headlights of a car.



The current through the filament of one car headlight is 3.0 A. The potential difference across each of the two headlights is 12 V.

(a) Suggest a suitable fuse for the circuit.


(1)

(b) Calculate the resistance of the headlight filament when in use.

		Answer	W
Calculate the power s	supplied to the two he	eadlights of the car.	
		Answer	W
The fully charged car pattery keep the head	battery can deliver 7 dlights fully on?	72 kJ of energy at 12 V. How lo	ong can the

Q15.

(a) The picture below shows the bathroom in a house.



Describe **three** examples of dangerous practice in the use of mains electricity in this bathroom.

1			
2			
3			

(3)

(b) In the table below three electrical appliances are listed with their power ratings and the number of hours they are used each week.

ELECTRICAL APPLIANCE	POWER RATINGS (W)	TIME USED EACH WEEK (h)	k Wh USED EACH WEEK
TV	200	35	
Kettle	2000	2	
Toaster	1000	1	
Cooker	11 500	7	


- (i) Complete the table by inserting the number of kWh used by each appliance each week.
- (ii) Which appliance would cost the least to run per week?

(iii)	The cost of running a toaster is 8p per week. How much does it cost to run the kettle each week?

(6) (Total 9 marks)

Q16.

When a mains lamp is switched on it takes 0.5 seconds for the filament to reach its normal operating temperature. The way in which the current changes during the first second after switching on is shown in the sketch graph below. Mains voltage is 240 V.



(a) Calculate the resistance of the filament whilst the lamp is drawing the **maximum** current.


(b) Describe how the resistance of the lamp changes after the current has reached its maximum value.

(3)

alculate the maximum power taken by the lamp.	
alculate the power of the lamp in normal use.	
alculate the energy used by the lamp in six hours of normal use.	

Q17.

(a) The diagram below shows the three pins in a mains plug. The pins connect with the live, neutral and earth terminals in a socket.



On the diagram, label each pin to show which is:


the live pin,

the neutral pin,

the earth pin.

(b) The diagram below shows the inside of a mains plug.

(3)



(i) Name **one** material which could be used for the part labelled **X**.

(ii) Complete the sentences below.

The part labelled **Y** is called the _____

This is used to hold the _____ firmly in place.


The component labelled **Z** is the ______.

(iii) The plug is used with an electric fire.
Which part of the electric fire is connected to the earth pin?

(5) (Total 8 marks)

Q18.

The diagrams show a hair-dryer and the circuit inside the hair-dryer.



(a) Switches S_1 , S_2 and S_3 are all shown in the **OFF** position.

Which switch or switches have to be **ON** to make:


- (i) only the fan work? _____
- (ii) both heaters work? _____
- (b) (i) What happens to the current in the circuit when the heaters are switched on?

(2)

	(ii)	Suggest why it is important to have the fan working when the heaters are switched on.	
			(3)
(c)		hair-dryer has a plastic case. It is connected to a mains socket by a 3-pin plug. cable connecting the hair-dryer to the plug contains only two wires.	
	(i)	Write down the colour of the insulation on the wires.	
		Wire 1	
		Wire 2	
	(ii)	Which of the usual three wires is not needed?	
	(iii)	This hair-dryer is safe to use without the third wire. Explain why.	
			(5)
(d)	The	following information is stamped on the hair-dryer.	
		Electrical supply 240V 50Hz Maximum power 1300W	
	(i)	Which number tells us how fast the hair-dryer uses energy?	
	(ii)	On what else does the energy used by the hair-dryer depend?	
		(Total 12 r	(2) narks)

Q19.

The diagram shows a fan heater.



Cor	mplete this sentence.
The	fan heater is designed to transfer electrical energy as
ene	rgy and energy.
The	e fan heater is connected to the mains by a three core cable.
(i)	Why are the wires in the cable made out of copper?
(ii)	Why are the wires in the cable covered by plastic?
Y	ou may find this equation useful when answering this part of the question
	ou may find this equation useful when answering this part of the question energy transferred (kWh) = power (kilowatt, kW) × time (hour, h)
E	energy transferred (kWh) = power (kilowatt, kW) × time (hour, h) The power of the fan heater is 2.75 kW. Calculate how many kilowatt hours (kWh) of energy are transferred when the
E	energy transferred (kWh) = power (kilowatt, kW) × time (hour, h) The power of the fan heater is 2.75 kW. Calculate how many kilowatt hours (kWh) of energy are transferred when the

	(Total 10 ma
a) Th	e diagram shows a fan heater.
(i)	A current of 11A flows when the fan heater is working normally. Fuses of value 3A, 5A, 10A and 13A are available. Which one should be used in the plug of the fan heater?
(ii)	A fault caused a much higher than normal current to flow in the heater. Describe what happened to the wire in the fuse.

energy transferred (kWh) = power (kilowatt, kW) × time (hour, h)

	(i)	The power of the fan heater is 2.75 kW. Calculate how many kilowatt hours of energy are transferred when the fan heater is used for 6 hours.	
		Number of kilowatt hours	(2)
	(ii)	How much will it cost to use the fan heater for 6 hours if one Unit of electricity costs 7p?	(2)
		p	(0)
		(Total 7 ma	(2) (rks
	lw.	am shows the inside of a 3-pin plug.	
(a)		at colour wire should be connected to each terminal?	
		minal E	
		minal L	(3)
			(0)

Q21.

ii) n a h	Write the equation which shows the relationship between the electric <i>current</i> , the <i>power</i> and the <i>voltage</i> . Calculate the power if the current is 5 A and the voltage is 400 000 V. Show clearly how you work out your answer and give the unit. Power =
ii) n a h unnir	Calculate the power if the current is 5 A and the voltage is 400 000 V. Show clearly how you work out your answer and give the unit. Power =
• n a h unnir	how you work out your answer and give the unit. Power =
n a h	how you work out your answer and give the unit. Power =
a h Innir	(Total 3 maindryer circuit there is a heater and a motor. It is important that the motor is always ing when the heater is switched on.
ınnir	nairdryer circuit there is a heater and a motor. It is important that the motor is always ng when the heater is switched on.
a h Innir	ng when the heater is switched on.
ınnir	ng when the heater is switched on.
nnir	ng when the heater is switched on.
)	Using the symbols shown below only once each, draw a circuit for a hairdryer
	Coming the cymbolo offewir bolow only crica cach, araw a offeat for a flandryor.
))	Modern hairdryers are described as double insulated.
	Explain what this term means.
;)	

(i)	[A]	Write an equation which shows the relationship between current, power and voltage.	
	[B]	Calculate the current in the hairdryer when it is on full power. Show clearly how you get your answer.	(1)
		Current = A	(2)
(ii)	[A]	Write an equation which shows the relationship between current, resistance and voltage.	
	[B]	The resistance of the heater is 20 ohms. Calculate the resistance of the motor.	(1)

Resistance =	ohms


(2)

(Total 10 marks)

Q24.

The diagram shows a type of electric immersion heater in a hot water tank. These hot water tanks are normally found in airing cupboards.

Show clearly how you get your answer.




Information on the immersion heater states:

(a)	(i)	What is the equation which shows the relationship between power, current and voltage?
	(ii)	Calculate the power of the heater. Show clearly how you get to your answer and give the units.
		Power =
(b)	(i)	What rating of fuse should be in the immersion heater circuit?
	(ii)	There are three wires in the cable to the immersion heater. Two of the wires are connected to the immersion heater. The third wire is connected to the copper tank.
		Explain the function of this third wire and the fuse in the circuit.
(c)	(i)	What is the equation which shows the relationship between resistance, current and voltage?
	(ii)	Calculate the resistance of the heater. Show clearly how you get to your answer and give the units.
		Resistance =
		(2 (Total 10 marks)

Q25.

The diagram shows the inside of a mains plug.

(a) Label the earth, live and neutral pins.



(b)	(i)	Explain how the earth wire and the fuse protect a person from an electric shock when there is a short circuit to the metal case of an appliance.		
	(ii)	What is the most appropriate size fuse rating for a fuse in a television?		
		Circle the correct answer.		
		3 A 5 A 13 A		

(3)

(Total 8 marks)

Q26.


A combination oven can cook food by using three methods; a microwave generator, a grill and a heating element.

(a)	What is the current when the oven is operating using full microwave power? Give the equation and show your working.

	Current =			
	is possible to cook using infrared radiation, from the grill, and microwaves. What the maximum current in the oven when using both together?			
	Current =			
For baking and roasting, the microwave is used at 450 W and the convection heating element is on fully at 1200 W. A thawed or fresh medium-sized chicken takes 30 minutes to cook.				
Calculate the energy transferred in kilowatt-hours.				
Us	se:			
un	nits (kWh) = power (kW) × time (h)			
	Energy = kW			
W	hy is a combination oven of this sort more economical than a convection-only ren?			

Q27.

The drawing shows a food processor. It has an electric motor. Inside is a blade which spins round and cuts up the food.



The food processor is designed to transfer electrical energy to kinetic energy. However some of the energy is wasted as heat and sound.

The power input to the food processor is 1150 W. The power of the spinning blade is 900 W.

(1)	minutes.	
	Show clearly how you get to your answer and give the unit.	
	Energy =	(3)
(ii)	Why does the food processor produce sound when it is switched on?	. ,
		_
	(Total 4	(1) marks)

Q28.

Carefully read the following extract from a safety leaflet. Then answer the questions.

An RCD adaptor is an automatic safety switch. It should be used when there is a particular risk of electric shock. For example, it is recommended that it is used with an electric lawnmower.

Inside one make of RCD is an electromagnet that holds the switch closed so that the RCD is switched on. An electronic circuit in the RCD monitors the difference between the current in the live wire and the current in the neutral wire.

If something goes wrong and this difference is greater than 30 milliamps then

2	
	y will there be a difference between the current in the live wire and the current in neutral wire if something goes wrong?
(i)	Use the words charge, current and time to write an equation which shows the relationship between them.
ii)	Calculate how much charge flows when a current of 30 milliamps passes for 40 milliseconds. Clearly show how you get to your answer and give the unit.

the RCD will trip (= switch off) within 40 milliseconds.